



## Bearing de Mexico, S.A.



### 75 mm x 115 mm x 20 mm 22318CC/W33, 22318CCK/W33 Spherical Roller Bearing

Bearing No. 6015

6015 Bearing 2D drawings and 3D CAD models

Size	115x75x20 mm
Bore Diameter	115 mm
Outer Diameter	75 mm
Width	20 mm
d	75 mm
D	115 mm
B	20 mm
d <sub>1</sub>	87.85 mm
D <sub>2</sub>	104.9 mm
r <sub>1,2</sub> - min.	1.1 mm
d <sub>a</sub> - min.	81 mm
D <sub>a</sub> - max.	109 mm
r <sub>a</sub> - max.	1 mm
Basic dynamic load rating - C	41.6 kN
Basic static load rating - C <sub>0</sub>	33.5 kN
Fatigue load limit - P <sub>u</sub>	1.4 kN
Reference speed	12000 r/min
Limiting speed	7500 r/min
Calculation factor - k <sub>r</sub>	0.025
Calculation factor - f <sub>0</sub>	15.8
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A



## Bearing de Mexico, S.A.

Weight / Kilogram	0.665
EAN	7316577740489
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	75MM Bore; 115MM Outside Diameter; 20MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6015
Weight / LBS	1.47
Bore	2.953 Inch   75 Millimeter
Outer Race Width	0.787 Inch   20 Millimeter
Outside Diameter	4.528 Inch   115 Millimeter
d <sub>1</sub>	87.85 mm
D <sub>2</sub>	104.9 mm
r <sub>1,2</sub> min.	1.1 mm



## Bearing de Mexico, S.A.

$d_a$ min.	81 mm
$D_a$ max.	109 mm
$r_a$ max.	1 mm
Basic dynamic load rating C	41.6 kN
Basic static load rating $C_0$	33.5 kN
Fatigue load limit $P_u$	1.43 kN
Calculation factor $k_r$	0.025
Calculation factor $f_0$	15.8
Mass bearing	0.65 kg